



City of Anderson

P.O. Box 3100 - Anderson, Alaska 99744
Phone (907) 582-2500 – FAX (907) 582-2496
coaclerk@mtaonline.net



April 11, 2024

Sewer Survey

What year were you hooked into the city sewer system? _____

Were you in favor of the sewer project being installed? _____

Have you had any problems with the sewer system? _____

Please describe: _____

Freeze ups? _____

Back fill coming into your home? _____

How often? _____

Other? _____

Of the five options that the KUNA report has outlined below, which one is the solution you would most like to see implemented? _____

1. Do Nothing—System wide failure, high infiltration, annual main freezing, and high O&M costs.
2. Private Septic Systems—Abandon the public sewer system and provide every home with an onsite septic system. Relocate wells and purchase additional land for small lots to meet regulations.
3. Partial Rehabilitation—Replacement sewer mains and manholes in the worse areas. Replace active services and seal inactive services.
4. Rehabilitation with Septic—Convert 40 percent of homes to onsite septic and rehabilitate portions of the remaining sewer collection system.
5. Complete Replacement—Complete replacement of the sewer distribution with arctic HDPE pipe, fiberglass manholes, and the decommission (fill-in) the in-town sewage lagoon.

For full KUNA engineering report see our website at: anderson.govoffice.com under the news dropdown.

Alternate community member options/comments/suggestions you like KUNA to consider:

Please return your survey in person at the City office or via email to:
Anderson City Clerk coaclerk@mtaonline.net by April 25, 2024.
Thank you